10,24,00 10/24,00 Class Su ISSUE CLASSIFI	U.S. UT	ILITY Pater	nt Applica	ation ·	
897	AK	0.I.P.E.		PATENT DATE	
	SCANNED				<u> </u>
APPLICATION NO. CONT/PRI	OR CLASS	SUBCLASS	376 <i>2</i>	23 EXAMINER	
<u>Ψ</u> Vivek Thappa		10(10	<u>`_l</u>	(Shatoc)	
Vivek Thappa				Overra	,
्रांतर रू अंतर Closed-end infu	usion cathe	ter with :	an intro	ducer and a	method for
using the same					PTO-20
F	BEST A	VAII AF	HEC		12/00
		*/ \IL/-\L	ILL U		
			Sit of the		Maria de la companya
ISSUING CLASSIFICATION					
ORIGINAL SUBCLAS	20 01 10	. 11		EFERENCE(8)	
CLASS SUBCLAS	SS CLAS	S SU	BCLASS (ON	ie Subclass per i	SLOCK)
INTERNATIONAL CLASSIFICAT	TION		11.9	1.11	
				,人名	
				6. 多花性色素	1. 高速高速
		9 10 10 W	- Section 2	And the state of t	
Maria Property Control of the Contro				Continued on Issue Silo	
	Frank Harris				Contraction of the Contraction o
TERMINAL	_	DRAWINGS		CLAIM	S ALL'OWED
DISCLAIMER	Sheets Drwg.	Figs. Drwg.	Print Fig.	Total Claims	Print Claim for O.
		4 5			
☐ The term of this patent				NOTICE OF ALL	OWANCE MAILED
subsequent to (date) has been disclaimed.		t Examiner)	(Date)	,	
The term of this patent shall not extend beyond the expiration date					
of U.S Patent. No			ISSUE FEE		
·				Amount Due	Date Paid
	(Primary	Examiner)	(Date)		
☐ The terminalmonths of			ISSUE BATCH NUMBER		
this patent have been disclaimed.	(Legal Instrum	nents Examiner)	(Date)		
WARNING: The information disclosed herein may be re	estricted. Unauthorized	disclosure may be o	mhibited by the l	Inited States Code Title 35	Sactions 122 181 and
Possession outside the U.S. Patent & Trade	emark Office is restricte	d to authorized emplo	yees and contrac	tors only.	, 300,0018 122, 101 and